San Ditan®

Aluminium-Spray

Liquid bandage

















Animal care





Ingredients (INCI)

Ethyl acetate, polyisobutyl methacrylate, aluminium powder, white mineral oil

Propellant: butane

Product characteristics

Unprotected injuries can become rapidly infected. With the Aluminium-Spray the injury site is covered by an elastic film that allows air to pass through. The spray on dressing protects against soiling and other harmful environmental influences.

As a result of its ease of application, wounds that can only be accessed with difficulty can also be protected.

Application

Shake well before use.

Spray the wound area lightly from a distance of 20 - 25 cm - free from draughts - for 1 to 2 seconds. If necessary, repeat several times daily.

Notes

For external application only. Avoid contact with the eyes-

Extremely flammable aerosol. Pressurised container: May burst if heated. In contact with water releases flammable gases. Causes serious eye irritation. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.

If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Handle and store contents under inert gas. Protect from moisture. Do not pierce or burn, even after use.

Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages.

In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish.

Store in a well-ventilated place. Keep container tightly closed. Protect from sunlight. Do not expose to temperatures exceeding 50 °C.

Package size

200 ml aerosol

The information given in this catalogue sheet corresponds to the state of knowledge upon completion. Please, kindly thoroughly read the label prior to use.