

**San
Ditan®**

Panazym-Zinc- Spray

Care and protection for strained
skin containing proteolytic
enzymes, zinc and vitamins



Animal care





Ingredients (INCI)

Oily Spray Solution containing Caprylic/capric triglyceride, zinc oxide, paraffinum liquidum (and) polyethylene, lanolin, glyceryl stearate, allantoin, tocopheryl acetate (vitamin E), retinyl palmitate (vitamin A), papain, pancreatinum (trypsin, chymotrypsin), FCHC-free propellant: Dimethylether

Product characteristics

SanDitan® Panazym-Zinc Spray contains a well-coordinated composition of dermatologically essential care substances such as proteolytic enzymes (papain and pancreatin with trypsin and chymotrypsin) as well as zinc oxide, allantoin, lanolin and vitamins. That way the components can develop their protective and maintenance properties in a very special manner.

Functions

- **Skin protection**
Lanolin (natural wool fat) provides the special adhesive strength and thus protection against soreness.
- **Protection of strained skin (e.g. on chafed parts difficult to get)**
Allantoin, enzymes and vitamins promote the calming of irritated skin and the subsiding of redness.
- **Moisture Protection**
Zinc oxide forms a protective layer and prevents any soiling or moisture from reaching the skin. The use avoids bandages to stick on the skin.
- **Protection from light**
Microfine zinc oxide effectively protects from strong UV-radiation.

Application

Shake well before use. SanDitan® Panazym-Zinc-Spray should be sprayed on the cleaned and dried skin from a distance of approx. 15 cm. If necessary, repeat several times daily.

The product does not contain any inhibitors and does not cauterize. It can therefore be used several times a day without any problem.

Notes

For external application only.

Avoid contact with the eyes.

Extremely flammable aerosol. Pressurised container: May burst if heated. Toxic to aquatic life with long lasting effects.

If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid release to the environment.

Collect spillage. Protect from sunlight. Do not expose to temperatures exceeding 50 °C.

Dispose of contents/container to industrial combustion plant.

Package size

150 ml aerosol can

The information given in this catalogue sheet corresponds to the state of knowledge upon completion. Please, kindly thoroughly read the label prior to use.

Veyx-Pharma is GMP- and QS-certified.

Veyx-Pharma GmbH · Soehreweg 6 · 34639 Schwarzenborn · Germany
Phone 0049 5686 99860 · Fax 0049 5686 1489 · E-Mail zentrale@veyx.de
www.veyx.com

09/2018