

# Sensiblex®



Denaverine hydrochloride  
40 mg/ml

- Tocolytic
- Eased parturition due to improved dilation of the soft tissues of the birth canal
- Lower frequency of retained placenta and lower rate of birth injuries in the dam
- Minimised neonatal mortality





Sensiblex® is the only medicinal product throughout Europe authorised for the therapy to facilitate parturition in cattle. The benefit of the preparation in terms of animal welfare is confirmed by numerous clinical studies. When administered sub partu, Sensiblex® promotes elasticity of the soft birth canal and regulates labour in case of too strong uterine contractions. Due to the rapid onset of effect parturition is facilitated.

## **Sensiblex® 40 mg/ml**

Solution for injection in cattle,  
Denaverine hydrochloride

### **Statement of active substance(s) and other ingredient(s)**

Sensiblex® is a clear colourless solution for injection containing:

#### *Active substance:*

Denaverine hydrochloride 40.0 mg/ml (equivalent to 36.5 mg/ml Denaverine)

#### *Excipients:*

Benzyl alcohol (E1519) 20.0 mg/ml

### **Indications**

Cows, heifers:

- Promotes dilation of the soft tissues of the birth canal in cases where the birth canal is insufficiently opened
- Regulates uterine contractions in animals with hypertonic muscular contractions of the uterus

Heifers:

- Promotes dilation of the soft tissues of the birth canal to facilitate parturition

### **Contraindications**

Do not administer in cases of mechanical obstetrical disorders.

Do not use in cases of hypersensitivity to the active substance or to any of the excipients.

### **Adverse reactions**

Increased restlessness; swellings at the injection site; absent or insufficient effectiveness necessitating further obstetrical measures.

If you notice any serious effects or other effects not mentioned in this package leaflet, please inform your veterinary surgeon or pharmacist.

### **Target species**

Cattle (cows, heifers)

### **Dosage for each species, route(s) and method of administration**

For intramuscular use.

Heifers: 10.0 ml Sensiblex® (400 mg Denaverine hydrochloride/animal)

Cows: 10.0 ml Sensiblex® (400 mg Denaverine hydrochloride/animal)

### **Advice on correct administration**

Timing of product administration:

- Use in heifers to facilitate parturition: the product should be administered as soon as parts of the foetus have entered the cervical canal and abdominal pressing has started.
- Use in heifers and cows to enhance dilation of the soft tissues of the birth canal: the product can be administered immediately after the veterinary surgeon has determined that insufficient opening of the soft birth canal is present (please kindly also refer to section Contraindications and Special warnings).

In cases where full dilation is not achieved, product administration may be repeated once after 40 - 60 minutes.

### **Withdrawal period**

Cattle: Meat and offal: 1 day  
Milk: 24 hours

### **Special storage precautions**

Keep out of the reach and sight of children.

This veterinary medicinal product does not require any special storage conditions. Do not use this veterinary medicinal product after the expiry date which is stated on the carton and vial label after "EXP". The expiry date refers to the last day of that month. Shelf life after first opening the immediate packaging: 28 days.

When the container is broached (opened) for the first time, using the in-use shelf-life which is specified on this package insert, the date on which any product remaining in the vial should be discarded should be worked out. This discard date should be written in the space provided on the label.

### **Special warning(s)**

#### Special warnings for each target species

The product is ineffective if no part of the foetus has entered the cervical canal and if abdominal pressing has not started. Before administering the product it is important to ensure there are no mechanical obstructions (e.g. oversized foetus). If present, obstructions must be removed prior to product administration (e.g. correction of abnormal presentation or uterine torsion).

#### Special precautions for use in animals

None.

#### Special precautions to be taken by the person administering the veterinary medicinal product to animals

The product has a potential to affect uterine musculature. Therefore, pregnant women and those women who are attempting to conceive should not handle or administer the product. Administration should be performed with caution in order to avoid accidental self-injection. In case of accidental self-injection, seek medical advice immediately and show the package leaflet or the label to the physician. Accidental spillage onto skin or into the eyes should be thoroughly rinsed off with water. People with known hypersensitivity to Denaverine hydrochloride or to any of the excipients should not administer the product. Wash hands after use.

#### Pregnancy

Use at the time of parturition only. Not for use during other stages of pregnancy or during lactation.

#### Interaction with other medicinal products and other forms of interaction

Sensiblex® should not be mixed with other veterinary medicinal products. In the case of additional administration of Oxytocin or its analogues, the dose of this active substance must be carefully selected because Denaverine may amplify its effects.

#### Overdose (symptoms, emergency procedures, antidotes), if necessary

In case of overdose or intravenous application, anticholinergic effects, e.g. increased heart and decreased respiration rate may occur. Do not exceed the recommended dose.

#### Incompatibilities

In the absence of compatibility studies, this veterinary medicinal product must not be mixed with other veterinary medicinal products.

#### Special precautions for the disposal of unused product or waste materials, if any

Any unused veterinary medicinal product or waste materials derived from such veterinary medicinal product should be disposed of in accordance with local requirements.

Available only on prescription

#### **Package sizes**

10 ml vial

50 ml bottle

The information given in this product brochure conforms to the state of knowledge upon completion. Please read the package leaflet before using the veterinary medicinal product.

You will find more details on Sensiblex® in our Fact Sheet which also comprises studies and practical experiences with the product. Please feel free to contact us. Our Fact Sheets are also provided on our website under [www.veyx.com/products/animal-holders](http://www.veyx.com/products/animal-holders)

Veyx-Pharma is GMP- and QS-certified.

Veyx-Pharma GmbH · Soehreweg 6 · 34639 Schwarzenborn · Germany  
Phone 0049 5686 99860 · E-Mail [zentrale@veyx.de](mailto:zentrale@veyx.de)  
[www.veyx.de](http://www.veyx.de)

03/2021